

Facility:	Johnson	Controls	Inc	·		
U.S. EPA I.	D. No.:	VD 009	549	593		
Street: _	1302 0	East Mo	mol s	et.		
City: <u>-</u>	Joshon_	State:	m.		Zip Code	·
Telephone:	219/3	533-2111	, 			
Operator: _	lame					
Street: _			·			
City:		State:			Zip Code	:
Telephone:			<del> </del>			<del></del> -
Owner:			<u></u>			
Street: _						
City:		State:			Zip Code	:
Telephone:						
Inspection 1	Date: 3 224891	ime: <u>9/25</u> - <u>A</u>	m Weatl	her Condit	ions: <u>Cla</u>	er 50%
	<u>Name</u>	<u>Affi</u>	<u>liation</u>		Telephon	<u>e</u> ,
Inspectors:	TedWa	mh	IDEP	n	3/7	1232-453
Facility Re	presentatives:					
	RCRA	Status F-So	lvent	LDR Stat		First Third
Generator			/		<del></del>	· V
Transporter					<del></del>	
Treater	<del></del>	<del>/</del>	/		- <del></del>	
Storer		<u> </u>				
Disposer		<del></del>				

## RCRA LAND DISPOSAL RESTRICTION INSPECTION APPLICABILITY CHECKLIST

Does the facility handle the following wastes?

שטט	s the	racinty namule t	ne ronown	ig wasies:				
				Gen.	Treat	Store	Disp.	Trans.
A.	<u>F-S</u>	olvent Wastes				/		
	1.	F001						
	2.	F002		<u>/</u>	<del></del>	1		
	3.	F003						
	4.	F004		<del></del>				
	5.	F005		V		1/	<del></del>	
			Appendix classifying			ther the fa	cility is	
В.	<u>Cali</u>	ifornia List Wast	<u>tes</u>					
	1.	Liquid hazardo any solid or slu concentrations	udge) that	contains t	he followii	ng metals a		NA
				Gen.	Treat	Store	Disp.	Trans.
		Arsenic	500 mg/L					
		Cadmium	100 mg/L	·	<u></u>			
		Chromium VI	500 mg/L					
		Lead	500 mg/L			-		
		Mercury	20 mg/L				· · ·	

134 mg/L \_\_\_\_

130 mg/L \_\_\_\_

100 mg/L \_\_\_\_

Nickel

Selenium

Thallium

2.	Liquid hazardous waste (including free liquids associated with any solid or sludge) that contains free cyanides at concentrations greater than or equal to 1,000 mg/L									
		Gen.	Treat	Store	Disp.	Trans.				
3.	Liquid hazardous	waste that has a	pH of less	than or ec	qual to 2.0	_				
4.	Liquid hazardous than or equal to	waste that conta 50 ppm	ins PCBs a	t concentra	ations grea	ter				
	Does the facility mix liquid hazardous waste that contains PCBs with other types of wastes?									
	If yes, state	Yes			NA					
5.	Hazardous waste (liquids) or 1,000		Cs greater	than or eq	ual to 1,00	00 mg/L				
	Note (1): The prowaste is also subjectific HOC.									
	Note (2): The eff greater than or ec 8, 1987; the effec or equal to 10,000 1,000 mg/kg is No	tual to 1,000 mg/ tive date for liqu mg/L and solid	L and less aid wastes of	than 10,00 containing	0 mg/L wa HOCs grea	s July ater than				

#### C. First Third Wastes

Note: (1) The detailed description for waste codes are listed in Appendix C.
(2) EPA has promulgated the treatment standards for the following

waste code with \*.

	Gen.	Treat	Store/	Disp.	Trans.
F006*	1/		V		
F007	<del></del>		<del></del>		
F008			<del></del>		
F009					
F019					
K001*					
K004*	<del></del>	<del> </del>			
K008*					
K011		<del></del>			
K013			<del></del>		
K014					
K015*					
K016*					
K017					
K018*					
K019*					
K020*					
K021*					
K022*					
K024*					
K025*					
K030*			<del></del>		
K031					
- K035	~				
K036*					
K037*					
K044*					
K045*					
K046*					
	-				

	Gen.	Treat	Store	Disp.	Trans.
K047*				<del></del>	
K048*					
K049*		—		<del></del>	
K050*					
K051*		<del></del>			
K052*			<del></del>		
K060*					
K061*					
K062*					
K069*	<del></del>				
K071*					
K073*					
K083*	<del></del>				
K084	<del></del>				
K085					
K086*		<del></del>	<del></del>		
K087*					
K099*					
K100*					
K101*	-				
K102*					
K103*					
K104*		<del></del>			
K106*	<del></del>				
P001	<del></del>	·			
P004	<del></del>				
P005					
P010					
P011					
P012				<del></del>	
P015	<del></del>		*********		
P016		<del></del>	<del></del>		
P018					<del></del>

	Gen.	Treat	Store	Disp.	Trans.
P020					
P030					
P036			<del></del>		
P037				<del></del>	<del></del>
P039				<del></del>	
P041	<del></del>			<del></del>	<del></del>
P048	<del></del>				
P050		<del></del>	<del></del>	<del></del>	<del></del>
P058	<del></del>		<del></del>	<del></del>	<del></del>
P059	<del></del>			<del></del>	
P063	<del></del>				
P068				<del></del>	
P069	<del></del>				
P070	<del></del>				
P071		<del></del>	<del></del>		
P081			<del></del>	<del></del>	
P082	<del></del>	<del></del>		<del></del>	
P084	<del></del>	<del></del>			
P087	<del></del>				
P089	<del></del>	<del></del>			
P092	<del></del>				
P094					
P097	<del></del>				<del></del>
P102	<del></del>				
P105		<del></del>			
P108	<del></del>	<del></del>	<del></del>		
P110				-	
P115	<del></del>				
P120	<del></del>				<del></del>
P122					<del></del>
P123		<del></del>			
U007		<del></del>			
U009		<del></del>			
			<del></del>		

	Gen.	Treat	Store	Disp.	Trans.
U010					
U012					
U016					
U018		<del></del>			
U019					<del></del>
U022					
U029					
U031					
U036					
U037	<del></del>				
U041				<del></del>	
U043	<del></del>			<del></del>	
U044	<del></del>			<del></del>	
U046					
U050			<del></del>		
U051					
U053					
U061					
U063			<del>,,,,</del>		
U064		<del></del>			
U066					
U067				<del></del>	
U074					
U077		·			
U078					
U086					
U089	<u>-</u>			<del></del> ·	
. U103					
U105					
U108					
U115	<del></del>	<del></del>			
U122					
U124	<del></del>			<del></del>	

	Gen.	Treat	Store	Disp.	Trans.
U129					
U130					
U133					
U134					
U137					
U151	<del></del>				
U154					
U155			<del></del>		<del></del>
U157				<del></del>	
U158	<del></del>				
U159	·				
U171					
U177					
U180					
U185					
U188					
U192	<del></del>				
U200					
U209	<del></del>				
U210					
U211					
U219					
U220	<del></del>				
U221					
U223					
U226					
U227				<u> </u>	
U228	<del></del>	<del></del>			
U237					
U238			<del></del>		
U248		<del></del>			
U249					

g.c.I.

# RCRA LAND DISPOSAL RESTRICTION INSPECTION GENERATOR CHECKLIST

#### GENERATOR REQUIREMENTS

•	F-Solve approp	ent Wastes: Does the generator correctly determine the riate treatability group of the waste?
		Yes No NA
	If yes,	check the appropriate treatability group.
		astewaters containing solvents (less than or equal to 1% TO)
	P	harmaceutical wastewater containing
	/s <sub>I</sub>	pent methylene chloride
	A	all other spent solvent wastes
2.		rnia List Wastes: Does the generator correctly determine propriate treatment standard of the waste?
	a. F	or liquid hazardous waste that contains PCBs at
	5 e b	oncentrations greater than or equal to 50 but less 00 ppm, is the treatment in accordance with xisting TSCA thermal treatment regulations for burning in high efficiency boilers (40 CFR 761.60) or national content of the content of
	5 e b	oncentrations greater than or equal to 50 but less 00 ppm, is the treatment in accordance with xisting TSCA thermal treatment regulations for ourning in high efficiency boilers (40 CFR 761.60) or
	c 5 e b ii	oncentrations greater than or equal to 50 but less 00 ppm, is the treatment in accordance with xisting TSCA thermal treatment regulations for ourning in high efficiency boilers (40 CFR 761.60) or national content of the content of
	c. 5 e b it	oncentrations greater than or equal to 50 but less 00 ppm, is the treatment in accordance with xisting TSCA thermal treatment regulations for burning in high efficiency boilers (40 CFR 761.60) or ncineration (40 CFR 761.70)?  Yes No NA
	c. 5 e b it	oncentrations greater than or equal to 50 but less 00 ppm, is the treatment in accordance with xisting TSCA thermal treatment regulations for burning in high efficiency boilers (40 CFR 761.60) or incineration (40 CFR 761.70)?  Yes No NA  If yes, specify the method:  For liquid hazardous waste that contains PCBs at oncentrations greater than or equal to 500 ppm, is the waste incinerated or disposed of by other

			Yes	No	NA
If	yes, ch	neck the ap	propriate treatab	ility group.	
_		Wastewat filterable Nonwaste	: solids)	TOC by weig	ght and less than 1%
L	ist the	waste code	and check the co	orrect treatm	ent standard group.
W	aste Co	ode 7	Wastewate	er	Nonwastewater
_					
_	·			-	
-					
<u>Waste</u>	<u>Analysi</u>	i <u>s</u>			
		i <u>s</u> it Wastes			
	-Solven	it Wastes	rator determine v nent standards?	whether the l	F-solvent waste
l. F	-Solven	it Wastes		whether the l	F-solvent waste NA
l. F	S-Solven Doesex	es the gener ceeds treatm	nent standards?	No	
l. F	S-Solven Doesex	es the generated treatments with the second treatment with the second treatments with the second treatment with the second trea	nent standards? Yes	No	
l. F	S-Solven Doesex	es the generated treatments with the second treatment with the second treatments with the second treatment with the second trea	Yes  determination m	No	
l. F	S-Solven Doesex	es the generated was this  Knowled  If yes, is	Yes  determination m  lge of waste  Yes	No ade?No data availabl	NA  le for review? Describe
l. F	S-Solven Doesex	es the generated was this  Knowled  If yes, is	Yes  determination m  lge of waste  Yes  any supporting is adequate.	No ade?No data availabl	NA  le for review? Describe

	b.	Does the F-solvent waste exceed applicable treatability group treatment standards upon generation [268.7(a)(2)]?
		Yes No NA
		If yes, specify the waste stream: Paint and degreesing
	c.	Does the generator dilute the F-solvent waste as a substitute for adequate treatment [268.3]?
		Yes No NA
	d.	How does the generator test F-solvent waste when a process or waste stream changes?
2.	Cali	ifornia List Wastes
	а.	Does the generator determine whether the waste is a liquid according to the Paint Filter Liquids Test (PFLT method 9095) as described by SW-846?
		Yes NoNA
	b.	If the waste is determined to be a liquid according to PFLT, is an absorbent added to the waste?
		Yes NoNA
		What type of absorbent is used?
		Check the types of waste to which absorbent is added.
		Liquid hazardous waste having a pH less than or equal to 2
		Liquid hazardous waste containing metals
		Liquid hazardous waste containing free cyanides
	c.	Does the generator determine whether the concentration levels (not extract or filtrate) in the waste equal or exceed the prohibition levels or whether the waste has a pH of less than or equal to 2.0 based on:
		- Knowledge of wastes
		Yes No NA

		how this is adequate.
		- Testing Yes No NA
		If yes, list test method used:
	d.	Does the generator determine if concentration levels in the PFLT filtrate exceed cyanide and metals concentration levels?
		Yes NoNA
		- If yes, list test method used and constituent and concentration levels that exceeded prohibition levels:
	e.	Does the generator dilute the waste as a substitute for adequate treatment [268.3]?
		Yes No NA
3.	First	Third Wastes:
	a.	Does the generator correctly determine the appropriate treatment standard of the waste?
		Yes No NA
		Note: The treatment standards for first third wastes are given in Appendix D.
	b.	Does the generator determine whether the First Third waste exceeds treatment standards upon generation?
		Yes No Soft hammer
		If yes, specify the waste stream: Follo
		How was this determination made?
		- Knowledge of waste
		Yes No
		If yes, is any supporting data available for review? Describe how this is adequate.

			- TCLP
			Yes No NA
			- Total Constituent Analysis
			Yes No NA
			Provide the date of last test, the frequency of testing, and note any problems. Attach test results.  Left. 1988
		c.	Does the generator dilute the waste as a substitute for adequate treatment [268.3]?
			Yes NoNA
		d.	How does the generator test the waste when a process or waste stream changes?
C.	Mai	iagem	eπ <u>t</u>
	1.		Site Management
			estrict waste or waste that exceeds the treatment standards ted, stored, or disposed on site?  Yes No
		If y	res, the TSD Checklist must be completed.
	2.	Off	-Site Management
		a.	Does the generator ship any waste that exceeds the treatment standards to an off-site treatment or storage facility?  Yes No
		b.	Does the generator provide notification to the treatment or storage facility [268.7(a)(1)]?  Yes No

Does notificat	ion contain the following?	,	
EPA Haz	zardous waste number(s)	Yes	No
Applicat	le treatment standards	Yes	No
Manifest	number	Yes	No
Waste an	alysis data, if available	Yes	No
Identify off-s	ite treatment or, storage fa	cilities: Me	et takes
	rator ship any waste that ndards to an off-site dispo		
	YesX	10	
_	erator provide notification to the disposal facility [26]		
	Yes N	lo .	
Does notifica	tion contain the following	?	
ЕРА На	zardous waste number(s)	Yes	No
Applica	ble treatment standards	Yes	No
Manifes	t number	Yes	No
Waste an	nalysis data, if available	Yes	No
	ation that the waste eatment standards	Yes	No
Identify off-s	site land disposal facilities	·	
Identify off-s	site land disposal facilities		
Is the waste s by case exten	ubject to a nationwide van sion (268.5), or petition (26	riance, case 58.6)?	
	Yes N	10 <u> </u> 1	NA
If yes, does to receiving fac [268.7(a)(3)]?	he generator provide notif ility that the waste is not	ication to the of prohibited from	f-site land disposal
	Yes N	٧o	

	i.	If yes, does the notification contain the fe	ollowing inform	ation?
		EPA Hazardous waste number	Yes	No
		The corresponding treatment standards and all applicable prohibitions	Yes	No
		Manifest number	Yes	No
		Waste analysis data, if available	Yes	No
		Date the waste is subject to the prohibitions	Yes	No
	j.	Does the generator retain copies of all no a period of 5 years?	tices and certifi	cations for
			Yes	No
D.	Demonstr	ation and Certification "Soft Hammer"	<u>Wastes</u>	NA
	a.	Has the generator attempted to locate and and recovery facilities that provide treats greatest environmental benefit [268.8(a)(1	ment that yields	the
	b.	Has the generator submitted to the Regio demonstration and certification containing to document its efforts to locate practical	nal Adminstrations the following	on a information
		A list of facilities and facility officials contacted?	Yes	No
		Addresses	Yes	No
		Telephone Numbers	Yes	No
		Contact dates	Yes	No
		Attach a copy of the demonstration	and certificatio	n ·
	c.	If the generator has determined that ther treatment for its wastes, has it sent docum demonstrating why it was not able to obt for the waste?  Yes No  If yes, attach a copy of written discussion	mentation to EP. ain treatment or	A
		Jos, attaon a copy of wiftleft discussion	11.	

d.	Does th	ne generator ship his waste off-site for treatment?
		Yes No
	Describ	be the type of treatment and treatment facilities
c.		e generator send a copy of its demonstration and certification receiving facility with the first shipment of waste?
		Yes No
f.		ne generator provide certification with each subsequent nt of wastes?
		Yes No
g.		ne generator provide the following notification to the ng facility with each shipment of waste?
	(i)	EPA Hazardous waste number Yes No
	(ii)	Manifest number Yes No
	(iii)	Waste analysis data, if available Yes No
h.		he generator retain copies of all notices, demonstrations, and cations for a period of 5 years?
		Yes No
(i.e., boile	ers, furn	RCRA 264/265 Exempt Units or Processes aces, distillation units, wastewater elementary neutralization, etc.)
		nt residuals generated from units or processes exempt 264/265? YesNo
If y	es, list t	ypes of waste treatment units and processes:
	f.  f.  g.  Treatmen (i.e., boild treatmen Are und	e. Did the to the shipme g. Does the receiving (ii) (iii) (iii)  h. Does the certification of

J.C.I.

### RCRA LAND DISPOSAL RESTRICTION INSPECTION

#### TSD CHECKLIST

### TSD REQUIREMENTS

A.

Gene	ral Fa	cility Standar	<u>ds</u>			
		the waste anal rements [264.13	ysis plan cover 3 or 265.13]?	Part 268		
	o F-	solvent	Yes	No	N	A
	o Ca	lifornia List	Yes	No	N	4
	o Fi	rst Third	Yes	No	N	A
2.		the facility ob es and residues	otain representat	tive chemical a	nd physical	analyses of
			Yes	No		/ /
	a.	What date was	the waste anal	ysis plan last re	evised? <u>1/</u>	26/1980
	b.		conducted on-sit		/	,
		Identify off-s	ire lab: <u>He</u>	On-sit	e Vo	ff-site
	c.	Is F-solvent w	aste analyzed u	sing TCLP?		
			Yes	No	N	A
3 <b>815</b>	11 14*	appropriate for constituent an	waste analyzed or the objective alysis for destru ixation technolo	of the specifie uction technological	d BDAT (i.e	., total
			Yes	No `	N	A
		con	e appropriate an stituent) for fir ndards are giver	st third wastes	with specif	
	c.	Describe the f	requency of sai	mpling:	very	60 days

	3.	Are the operating records, including analyses and quantities, complete [264.73/265.73]?
		No
В.	Stor	rage (268.50)
	1.	Are restricted wastes stored on-site?  Yes No
		If no, go to C, Treatment.
	2.	If yes, check the appropriate method.
		Tanks Containers
	3.	Are all containers clearly marked to identify the contents and date(s) entering storage?
		Yes No NA
	4.	Do operating records track the location, quantity of the wastes, and dates that the wastes enter and leave storage?
		Yes No
	5.	Do operating records agree with container labeling?
		Yes No NA
	6.	Do operating records contain copies of the notice, certification, and demonstration (if applicable) from the generator for the past 5 years?
		Yes No

7.	Have wastes been stored for more than I year since the applicable LDR regulations went into effect?
	Yes No NA
	If yes, can the facility show that such accumulation is necessary to facilitate proper recovery, treatment, or disposal?  Yes No
	If yes, state how:
8.	Have tanks been emptied at least once per year since the applicable LDR regulations went into effect?
	Yes No NA
	If yes, do the operating records show that the volume of waste removed from tanks annually equals or is more than the tank volume?
	Yes No
9.	Are all tanks clearly marked with a description of the contents, the quantity of wastes received, and date(s) entering storage, or is such information recorded and maintained in the operating record?
	Yes No NA
Tre	eatment
1.	Does the facility treat restricted wastes other than in surface impoundments?  Yes  No
	If no go to D. Treatment in Surface Impoundments

C. 1

21

analysis plan, (for treatment waste extract)	ty, in accordan determine whet standards expr from all treatm dards [268.7(b)]	her the resi essed as con nent process	idue or res	sidue extra ns in the	ct
	- · · · ·	es	No		
Is dilution use	d as a substitut	e for treatr	nent?		
	Y	es	No		
	ons, demonstrat epared by the g rd?				
	Y	es	No		
	ity ship any wa dards to an off				ects the
	Y	es	No	1	٧A
	e treatment fac the disposal f		de notifica	ition and	
	Y	es	No		
	otification cont	ain the foll	owing?		
If yes, does no	till loution come				
-	ardous waste n	umber(s)		Yes	
EPA Haz				Yes Yes	
EPA Haz	ardous waste n				
EPA Haz Applicab Manifest	ardous waste n	andards		Yes	

	8.	Does the facility ship any "soft hammer" waste to an off-site disposal facility?
		Yes No NA
		If yes, does the treatment facility send a copy of the generator's demonstration (if applicable) and certification to the disposal facility?
		Yes No
D.	Tre	atment in Surface Impoundments
	1.	Are restricted wastes placed in surface impoundments for treatment?
		YesNo
		If no, go to E, Land Disposal.
	2.	If yes, did the facility submit to the Agency the waste analysis plan and certification of compliance with minimum technology and ground-water monitoring requirements?
		Yes No
	3.	If the minimum technology requirements have not been met, has a waiver been granted for that unit?
		Yes No NA
	4.	Are representative samples of the sludge and supernatant from the surface impoundment tested separately, acceptably, and in accordance with the sampling frequency and analysis specified in the waste analysis plan?
		Yes · No
		Attach test results.
•	<b>5.</b>	Do the hazardous waste residues (sludges or liquids) exceed the treatment standards specified in 268.41, or where no treatment standards are established for a waste, the applicable prohibition levels?
		Yes No

			ely document the results cordance with 268.41?	
		Yes	No	
			xceed the treatment the prohibition levels?	
	Sludge	Yes	No	
	Supernatant	Yes	No	
a.	If yes, are slue basis?	ige and supern	atant removed adequatel	y on an ann
		Yes	No	
b.			en to protect liners, and integrity is inspected?	
		Yes	No	
c.	Are residues s impoundment?		naged in another surfac	c
		Yes	No	
đ.	Are residues t	reated prior to	disposal?	
		Yes	No	
			ated on-site or off-site?	

E.	<u>Land</u>	Disposal
	I.	Are restricted wastes placed in land disposal units such as landfills, surface impoundments, waste piles, wells, land treatment units, salt domes/beds, mines/caves, or concrete vault or bunker?
		YesNo
		Note: Do not include surface impoundments addressed in D, Treatment in Surface Impoundments.
		If yes, specify which units and what wastes each unit has received:
	2.	Are these wastes disposed of in a new, replacement, or laterally expanded landfill or impoundment that meets the minimum technology requirements (double liner and leachate collection) and groundwater monitoring?
		Yes No
	3.	Does the facility operating record have notices, certifications, and demonstration (if applicable) from generators/storer/treaters for 5 years [268.7(c); 268.7(a),(b)]?
		Yes No
	4.	Does the facility obtain waste analysis data or test the wastes (according to the waste analysis plan) to determine that the wastes comply with the applicable treatment standards [268.7(c)]?
		Yes No
		If yes, at what frequency?
		The sestminum wastes that the new who treatment standards are placed in mandridisposal units (expluding mational capacity variances) [268.30(a)], does facility have an approved waiver based on no migration petition [268.6], an approved case-by-case capacity extension [268.5]; or variance [268.44]?  Yes No
	6.	Does the facility dispose of restricted wastes that are subject to a national capacity variance?

\_\_\_ No

\_ Yes

	Yes	No	NA
<del>-</del>			
What is the volume of	the restricte	d wastes dispos	sed of to date?
f the facility has a canaking progress as de			
<u>-</u>	Yes	No	NA
			•